



## INFOLOCK INSIGHT DLP APPLIANCE

# TECHNICAL SPECIFICATIONS



## DIRECTOR APPLIANCES



**2200 DIRECTOR**



**1200 DIRECTOR**

DIRECTOR NAME	Infolock INSIGHT DLP 2200 Director
<b>SYSTEM</b>	
DISK SPACE	2.6TB (RAID-10 of 6 x 900GB 10K SAS 2.5" disks) 1TB (RAID-1 of 2 x 1TB SAS 2.5" disks)
RAM	256GB (32GB x 8 DIMMS)
PROCESSORS	2 x Xeon E5-2699 V4, 22-Core, 2.2 GHz, 55MB Cache
NIC	4 x 10/100/1000 onboard 4 x 10/100/1000 add-on
<b>DIMENSIONS &amp; WEIGHT</b>	
FORM FACTOR	1u rack-mountable
DIMENSIONS	(L x W x H) 30 x 17½ x 2 inches
WEIGHT	65 lbs
<b>OPERATING ENVIRONMENT</b>	
POWER SUPPLY	2x redundant power supply
POWER (MAX)	700 watts (110v - 240v)

DIRECTOR NAME	Infolock INSIGHT DLP 1200 Director
<b>SYSTEM</b>	
DISK SPACE	2.6TB (RAID-10 of 6 x 900GB 10K SAS 2.5" disks) 1TB (RAID-1 of 2 x 1TB SAS 2.5" disks)
RAM	128GB (32GB x 4 DIMMS)
PROCESSORS	1 x Xeon E5-2699 V4, 22-Core, 2.2 GHz, 55MB Cache
NIC	4 x 10/100/1000 onboard 4 x 10/100/1000 add-on
<b>DIMENSIONS &amp; WEIGHT</b>	
FORM FACTOR	1u (half-depth) rack-mountable
DIMENSIONS	(L x W x H) 21¼ x 19½ x 1¾ inches
WEIGHT	35 lbs
<b>OPERATING ENVIRONMENT</b>	
POWER SUPPLY	2x redundant power supply
POWER (MAX)	700 watts (110v - 240v)

## SUPPORT STATEMENT AND PRODUCT WARRANTY

The Infolock INSIGHT DLP Appliance Director and Sensor series utilize the following: Oracle Linux (IDACTv3) or CentOS (IDACTv2) operating system, Infolock's proprietary IDACT software, KVM virtualization platform, virtualized instance of Oracle, and/or the ability to run a virtual Network Monitor server. While Symantec has not certified all of these features, this configuration has been fully certified by Infolock and is covered by the INSIGHT Appliance Agreement. In the event of a Symantec DLP software-related issue, customers with valid Symantec Support Agreements are entitled to receive support services from Symantec – delivered in accordance with Symantec's Enterprise Technical Support Policy and assisted by the Infolock INSIGHT DLP support team as needed.

One (1) year, non-transferrable hardware warranties are included with each Infolock INSIGHT DLP Appliance.

## SENSOR APPLIANCES



**910 SENSOR**

SENSOR NAME	Infolock INSIGHT DLP 910 Sensor
<b>SYSTEM</b>	
DISK SPACE	2.6TB (RAID-10 of 6 x 900GB 10K SAS 2.5" disks) 1TB (RAID-1 of 2 x 1TB SAS 2.5" disks)
RAM	256GB (32GB x 8 DIMMS)
PROCESSORS	2 x Xeon E5-2699 V4, 22-Core, 2.2 GHz, 55MB Cache
NIC	4 x 10/100/1000 onboard 4 x 10/100/1000 add-on
<b>DIMENSIONS &amp; WEIGHT</b>	
FORM FACTOR	1u rack-mountable
DIMENSIONS	(L x W x H) 30 x 17 $\frac{3}{8}$ x 2 inches
WEIGHT	65 lbs
<b>OPERATING ENVIRONMENT</b>	
POWER SUPPLY	2x redundant power supply
POWER (MAX)	700 watts (110v - 240v)



**610 SENSOR**

SENSOR NAME	Infolock INSIGHT DLP 610 Sensor
<b>SYSTEM</b>	
DISK SPACE	1TB (RAID-1 of 2 x 1TB SAS 2.5" disks)
RAM	64GB (16GB x 4 DIMMS)
PROCESSORS	1 x Xeon E5-2699 V4, 22-Core, 2.2 GHz, 55MB Cache
NIC	4 x 10/100/1000 onboard 4 x 10/100/1000 add-on
<b>DIMENSIONS &amp; WEIGHT</b>	
FORM FACTOR	1u (half-depth) rack-mountable
DIMENSIONS	(L x W x H) 21 $\frac{1}{4}$ x 19 $\frac{3}{8}$ x 1 $\frac{3}{4}$ inches
WEIGHT	35 lbs
<b>OPERATING ENVIRONMENT</b>	
POWER SUPPLY	2x redundant power supply
POWER (MAX)	700 watts (110v - 240v)



**310 SENSOR**

SENSOR NAME	Infolock INSIGHT DLP 310 Sensor
<b>SYSTEM</b>	
DISK SPACE	1TB (RAID-1 of 2 x 1TB SAS 2.5" disks)
RAM	32GB (8GB x 4 DIMMS)
PROCESSORS	1 x Xeon E5-2650 V4, 12-Core, 2.2 GHz, 30MB Cache
NIC	4 x 10/100/1000 onboard 4 x 10/100/1000 add-on
<b>DIMENSIONS &amp; WEIGHT</b>	
FORM FACTOR	1u (half-depth) rack-mountable
DIMENSIONS	(L x W x H) 21 $\frac{1}{4}$ x 19 $\frac{3}{8}$ x 1 $\frac{3}{4}$ inches
WEIGHT	35 lbs
<b>OPERATING ENVIRONMENT</b>	
POWER SUPPLY	2x redundant power supply
POWER (MAX)	700 watts (110v - 240v)



**310N SENSOR w/ NAPATECH**

SENSOR NAME	Infolock INSIGHT DLP 310N Sensor w/ Napatech
<b>SYSTEM</b>	
DISK SPACE	1TB (RAID-1 of 2 x 1TB SAS 2.5" disks)
RAM	32GB (8GB x 4 DIMMS)
PROCESSORS	1 x Xeon E5-2650 V4, 12-Core, 2.2 GHz, 30MB Cache
NIC	4 x 10/100/1000 onboard 4 x 10/100/1000 add-on Also includes one (1) Napatech NT4E capture card with either Fiber or Copper SPFs
<b>DIMENSIONS &amp; WEIGHT</b>	
FORM FACTOR	1u (half-depth) rack-mountable
DIMENSIONS	(L x W x H) 21 $\frac{1}{4}$ x 19 $\frac{3}{8}$ x 1 $\frac{3}{4}$ inches
WEIGHT	35 lbs
<b>OPERATING ENVIRONMENT</b>	
POWER SUPPLY	2x redundant power supply
POWER (MAX)	700 watts (110v - 240v)

## GET STARTED

The INSIGHT DLP Appliance provides a pre-packaged, pre-installed and pre-configured Symantec DLP environment for organizations to deploy for fast-turnaround data security protection.

By standardizing on a proven hardware-software platform, the appliance simplifies and streamlines the Symantec DLP installation and configuration process and eliminates the need to procure and stage hardware, license and configure underlying operating systems and hypervisors, and test system interoperability. As a result, deployment times are dramatically reduced – allowing you to focus on building your data security program.

## **INFOLOCK** **MAXIMUM CONTROL DATA GOVERNANCE**

Experts in data governance, Infolock provides consulting and advisory services that help you effectively secure, manage, and optimize your data. Our deep understanding of risk management, combined with technical expertise and business acumen, makes us the ideal partner to help you regain control of your data.



**INFOLOCK**

### CONTACT US TODAY

InfoLock  
2900 South Quincy Street  
Suite 330  
Arlington, VA 22206

[sales@infolock.com](mailto:sales@infolock.com)  
(877) 610-5625  
[www.infolock.com](http://www.infolock.com)